



Notified body number 1349
DIPL.-ING. LEOPOLD GLÜCK
Enheim 45
97340 MARTINSHEIM
Germany

CERTIFICATE OF FACTORY PRODUCTION CONTROL 1349-CPD-010

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction products

MULTIPLAN ÖB black, grey	1.2 mm, 1.5 mm,	2.0 mm
Protex H black, grey	1.2 mm, 1.5 mm,	2.0 mm
MULTIPLAN ÖB GW black, grey	1.5 mm,	2.0 mm
MULTIPLAN BA anthracite, translucent	1.2 mm, 1.5 mm,	2.0 mm
MULTIPLAN TW light blue	1.5 mm,	2.0 mm
PROTEX SK black, grey	1.5 mm,	2.0 mm

Flexible sheets for waterproofing - Plastic damp proof sheets including plastic basement tanking sheets made of Polyvinylchloride (PVC)
compatible with bitumen (MULTIPLAN ÖB/ÖB GW and PROTEX H/SK) and
incompatible with bitumen respectively (MULTIPLAN BA/TW)

Intended use: damp proof sheets TYPE A and basement tanking sheets TYPE T

produced by the manufacturer

VWS Vertriebs GmbH
Am Rosengarten 5
63607 Wächtersbach-Neudorf, Germany

in the factory

MWK Kunststoffverarbeitung GmbH, 63607 Wächtersbach-Neudorf, Germany

is submitted by the manufacturer to the initial type-testing of the product, a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body - LEGI DIPL.-ING. LEOPOLD GLÜCK - has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of factory production control described in the Annex ZA of the standard


EN 13967 : 2004-12

were applied.

This certificate was first issued on 11 November 2005 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Martinsheim, 9 November 2006




Dipl.-Ing. (FH) Leopold Glück